

Receiving Report

Date: 1/5/14
 Supplier: Maimon

Batch No: M114626
 Dart P/O: 11875

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐ N/A ☐
 Shipment Complete: Yes ☒ No ☐ N/A ☐
 QC6 Inspection ☒ N/A ☒
 Work Order 1015112

Discrepancies						
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
	M 304 TRO 750w 120 R		c	c	80	

Initials of receiver (if shipment OK) Level 12 [Signature]

Production/Admin: 1/5/14
 Date [Signature]
 Received/Costing [Signature]
 Initial

Location _____

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

100-100000

Marmion/Keystone Canada Inc.



Specialty Steels

PACKING SLIP

290 Chemin du Tremblay
Boucherville QU CAN J4B 5X9
TEL. 514/527-9153
FAX. 450/641-4357

PAGE... 1
Order : 1088269
Date.. 05/13/2010

SOLD TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIPPED TO:

DART AEROSPACE LTD
1270 ABERDEEN STREET

HAWKESBURY ON CAN K6A 1K7

SHIP VIA		F.O.B.	SALESPERSON	YOUR ORDER NO.	
TST OVERLAND #222212		BOUCHERVILLE	G. Dulude	11875	
Ordered	Description	Number Pieces	Quantity Shipped	Back Ordered	
01	Fax all papers to Linda Lacelle 613-632-1053 Mill tests required with all shipment rev:08/08 STAINLESS ROUND BAR 304L ROUND BAR CD <u>3/8"</u> A276 SBR .375 CD 304L Cust. part#.: M304R0.375 HT#.....: 249549 Total...	2 2	24/FT 6 IN 24/FT 6 IN	IN ✓	
02	STAINLESS ROUND BAR 304L ROUND BAR 1 1/2" ST A276 SBR 1.500 ST 304L Cust. part#.: M304R1.500 HT#.....: 5XP2 Total...	1 1	11/FT10 IN 11/FT10 IN	IN	
03	STAINLESS STEEL SEAMLESS TUBE SMLS TUBE 304L 1/2 X .049 A213 STS .500 .049 304L Tariff Number: 7304. Cust. part#.: M304TR0.500W.049 HT#.....: TGB090153 Total...	3 3	60/FT 60/FT	✓	
04	ALUMINUM SMLS TUBE ATS .375 .058 D6061 Tariff Number: 7608.20.00.90 Cust. part#.: M6061T6T0.375W.058 HT#.....: F00005643 Total...	9 9	108/FT 108/FT	✓	

No. of Bdl's/Pieces


2 / 0

Total Weight.....:

101

Customers.: _____

Acciaierie Valbruna S.p.A.



36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Cient
VALBRUNA CANADA LTD
8724 HOLGATE CRESCENT
L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Item/Usine productrice

Avviso di Spedizione: D-VI10003407
Lieferanzeige/Packing list/B.L.

Ordine nr: 001002559 Stock - Canada
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erneuerungst/Melting process/Mode d'elaboration

CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE CERTIFICAT DE RECEPTION EN 10204 (2005) , 3.1

Certificato nr: MEST831749/2010/
Prüfung/Test/Essai

Conferma ordine nr: EI10000824
Works/Our Order/Ref. nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice

Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Poinçon de l'essayeur



Oggetto Prove: - Annealed Cold Drawn
Prüfgegenstand/Item Inspected/Finissage

Specifiche:
Anforderungen / Requirements / Exigences

- VSI 0 304/304L A,CF
AMS-QQ-S-763 B 304 2
ASME SA193 2007 B8 5
ASME SA479 2007 S30400/03 A 8
ASTM A262 2002A PRACTICE E
ASTM A320 2008 B8 8
ASTM A479 2008 S30400/03 A
(0) Chemical analysis only.
(2) Chemical analysis only.
(4) SEC.II PT.A 2007 EDITION ADD. 2008a
(5) SEC.II PT.A 2007 EDITION ADD. 2008a
(6) SEC.II PT.A 2007 EDITION ADD. 2008a
(7) Chemical analysis only.
(9) Chemical analysis only.
(B) Chemical analysis only.

AMS 5639 H S30400 9
AMS-QQ-S-763 B 304L 3
ASME SA276 2007 S30400/03 A,CF 6
ASTM A182 2009A S30400/03 9
ASTM A276 2008A S30400/03 A,CF
ASTM A370 2009A
MIL-S-862 B/1 304/304L

- 1Chemical analysis only.
3Chemical analysis only.
4Chemical analysis only.
5Chemical analysis only.
7SEC.II PT.A 2007 EDITION ADD. 2008a
8SEC.II PT.A 2007 EDITION ADD. 2008a
AChemical analysis only.
CChemical analysis only.

AMS 5647 H S30403 (1)
ASME SA182 2007 S30400/03 (4)
ASME SA320 2007 B8 (7)
ASTM A193 2009 B8 (A)
ASTM A314 2008 S30400/03
ASTM A473 2001 S30400/03 (C)

Qualità: 304/304L
Werkstoff/Grade/Nuance

Marca: MVAISL MAXIVAL
Markenbezeichnung/Brand/Nuance

Punzonatura: 304/304L
Kennzeichnung/Marking/Marque

Pos. nr. Pos. nr. Item nr. Nr. de poste	Oggetto Gegenstand Product description Descr. du produit	Dimensioni - in Dimensions Dimension Dimension	Tolleranza Toleranz Allowance Tolerance	Lunghezza - in Länge Length Longueur	Colata Schmelze Heat Coulée	Pezzi Stückzahl Pieces Pièces	Peso - LB Gewicht Weight Poids	Lotto nr. Losnr. Lot nr. Lot nr.
0040	Round	0,3750	484-08	144 / 148	249549		2.712	932900530

Sono state soddisfatte tutte le condizioni richieste
Die gestellten Anforderungen sind in Anlage erfüllt
The material has been furnished in accordance with the requirements
Le matériel a été trouvé conforme aux exigences

Controllo antimescolanza: OK
Verwechslungsprüfung: spektralanalytisch durchgeführt
Antimixing testing performed: OK
Contrôle antimesclage fait: r.a.a.

Controllo visivo e dimensionale: soddisfa le esigenze:
Besichtigung und Ausmessung: ohne Beanstandung
Visual inspection and dimensional checks satisfactory
Contrôle visuel et dimension: satisfaisant

TEST ALLO STATO DI FORNITURA													
Test on delivery condition Prüfung auf lieferbarem produkt test a l'état de fourniture Prueba sobre el material así como entregado													
TEST	Provetta/Probierstab Spezimen/Éprouvette Lap diam. Spec. Basis Diam. Dicke Width Diam. Thickness Lap diam. épais mm	°F	Posiz. Saggio <small>Probenlage Essai position Sujetion position</small> 1)	Snervamento Streckgrenze Yield Stress Limite élastique Rp 0,2% k.s.i.	Snervamento Streckgrenze Yield Stress Limite élastique	Resistenza Zugfestigkeit Tensile strength Resistance à traction Rm k.s.i.	Allungamento Bruchdehnung Elongation Allongement E 4d %		Strizione Einschnürung Reduction of area Striction RA %		Resilienza Kerbschlagarbeit Impact Value Resilience	Durezza Härte Hardness Dureté HB	
	Valori richiesti 1 <small>Anforderungen/Required values Valeurs demandées</small>		min	max	45	-	90	-	30	-	40	-	-
A	8,75	68	L	86		114		32		52			256

TEST					min	max				
A	Grain size for ASTM E112						6			

Mechanical properties according to ASTM A370.

1) L=longitudinale/längs, T=transversale/quer, Q=Tangenziale/tangentiel

Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Colata/Heat Schmelze/Coulée	min - max 0,030	1,00	2,00	18,00 20,00	1,00	1,00	8,00 10,50	0,040	0,020 0,030	0,100	-	-	-	-
	C %	Si %	Mn %	Cr %	Mo %	Cu %	Ni %	Co %	P %	S %	N %			
249549	0,018	0,67	1,78	18,15	0,57	0,63	8,26	0,100	0,028	0,030	0,087			

Produced without class I-II Ozone depleting substances.
Solution heat treated free from continuous carbide network.

Vicenza, 05/02/10 VCO008 (Mod. MCER)	Il collaudatore di stabilimento / der Werkssachverständige / Works Inspector / L'agent d'usine M. Rizzotto	Pagina - 1 di 2
--	---	-----------------

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2005), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.

Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

Cliente / Besteller/Purchaser/Client

VALBRUNA CANADA LTD

8724 HOLGATE CRESCENT

L5T 5Z1-MILTON, ONT L5T 5Z1-CAN

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**

Hersteller/Item/Usine productrice

Avviso di Spedizione: D-VI10003407
Lieferanzzeige/Packing list/B.L.

Ordine nr: 001002559 Stock - Canada
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erwärmungsart/Heating process/Mode d'elaboration

Certificato nr: MEST831749/2010/
Prüfung/Test/Essai

Conferma ordine nr: E110000824
Works/Our Order/Ref nr.

Marchio di Fabbrica:
Zeichen des Lieferwerkes
Trade mark
Sigle de l'usine productrice



Punzone del Collaudatore:
Stempel des Werksachverständigen
Inspector's stamp/Pointon de l'essayeur



Oggetto Prove: - Annealed Cold Drawn
Prüfgeg. material/Item Inspected/Finiissage

Annealing temperature: 1940°F for 0.5 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1, s., 4.3 by TUEV and LLOYD'S

Q.C. Reviewed
PS 03/29/10

Vicenza, 05/02/10

VC0006

(Mod. MCER)

Il collaudatore di stabilimento / der Werkssachverständiger / Works inspector / L'agent d'usine

M. Rizzotto

Pagina - 2 di 2



METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS
6870 HIGHWAY 42 EAST
GHENT, KY 41045

6870 HIGHWAY 42 EAST

Certificate: 550105 1
Customer: 007080 002
Mail To:
MARION KEYSTONE CANADA, INC.
1200 HERITAGE RD.
BURLINGTON, ON L7L4X9

Ship To:
MARION KEYSTONE CANADA, INC.
1200 HERITAGE RD.
BURLINGTON, ON L7L4X9

Date: 4/01/2010 Page: 1

Steel: 304L/304

Finish: ST

Your Order: BN6752

NAS Order: IN 0089486 01

Corrosion: ASTM A262-02a PRACTICE E-

PRODUCT DESCRIPTION:

Round bar annealed, smooth turned, cold finished. ASTM-A-484-08 UNS
-S30400/30403, ASTM A276/08A, QQS-763F, ASTM A479/08, AMS 5647H, A
SME SA479/04ed, EN 10204 3.1B ASTM A193/08B Class 1 grade B8(EXC.
HARDNESS AND PAR 7.2), ASTM A320/08 Class 1 grade B8, ASME SA320/
04 Class 1 grade B8, ASME SA193/05 grade B8(EXC. HARDNES
S AND PAR 6.3) ASME SA182/04ED 06AD(CHEM ONLY), ASTM A182-08A(CHE
M ONLY) AMS 5639H ASTM A484-08 NACE MR0175(MID RADIUS ONLY AND
EXCEPT COLD DRAWN BAR)

REMARKS:

Melted & Manufactured in the USA. Product complies w/require
ments of DFARS, EU directive 2002.95. EC.RoHS.and Free from
Mercury contamination. No weld repair. NAS certifies the ana
lysis on certification is correct & the material meets specs
stated.

CP
10.05.17


Product Id	Skid #	Diameter	Size	Weight	Length	Mark	Pieces	Commodity Code
BC6987 7		1.5000		1,248	144.00	1	1	

CHEMICAL ANALYSIS CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

HEAT	CM	AL	C	CB	CO	CR	CU	MN	MO	N
5XP2	US	.0035	.0289	.0100	.1095	18.0500	.3240	1.3195	.1990	.0673
	NI	P	S	SI	TI					
	8.6710	.0245	.0235	.1400	.0020					

MECHANICAL PROPERTIES

Product Id	1 d o i c r	HB No.	.2 YS KSI	UTS KSI	RA %	.1 YS KSI	Elo-4D %	Oxalic P/F
BC6987 7	C L	190.00	48.00	92.00	64.00	53.00	43.00	1.00



NAS hereby certifies that the analysis on this certification is correct and the
material meets the specifications stated.

QC ENGINEER

ERIC HESS

4/01/2010

SRK-1.500-
-ST-
-304L * 5XP2 * 1005005 * BN6752 * 4/9/2010



CRYSTAL PALACE

SHANGHAI CRYSTAL PALACE PIPE CO., LTD

ZHONG GANG, NAN HUI, SHANGHAI CHINA ZIP CODE: 201302

MILL TEST CERTIFICATE

ISO9001:2000 ; PED Material CERTIFICATE (No.: QAC0021058/A)

DATE OF ISSUE: 2010/04/28

CUSTOMER: MARMON/KEYSTONE CANADA INC.						CERTIFICATE NO.: 2009-9-10-3					
P.O.NO.: MN6487/BN6488						ORDER NO.: 2009-9-010					
COMMODITY: STAINLESS STEEL SEAMLESS TUBING						GRADE: ASTM A213-07 ASME SA213-07 TP304/TP304L					
CONDITION: COLD FINISH / SOLUTION TREATED / PICKLED / PLAIN END.						HEAT NO.: TGB090153					
CHEMICAL CONTENTS (WT%)											
ELEMENTS		C	Mn	P	S	Si	Ni	Cr			
SPECIFICATION		≤0.035	≤2.00	≤0.040	≤0.030	≤0.75	8.0-12.0	18.0-20.0			
RESULTS (LADLE)		0.026	0.85	0.039	0.002	0.32	8.08	18.16			
PHYSICAL PROPERTIES											
Dimensions			Bundle No.	Pieces	Weight (kg)	0.2%YS (Mpa) ≥205	TS (Mpa) ≥515	EL (%) ≥35	FLATTENING TEST	HARDNESS HRB ≤80	EDDY CURRENT TEST (100%)
O.D (inch)	W.T (inch)	Length (feet)									
0.500	0.049	20	P09-10-135	350	758	285	605	61.5	OK	72	OK
REMARKS:						1. WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN TESTED AND THE TEST RESULTS ARE IN COMPLIANCE WITH THE TERMS OF THE PURCHASE ORDER OR CONTRACT					
AS PER ASTM A213-07 / ASME SA213-07						2. THE CERTIFICATE SHALL NOT BE REPRODUCED, EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF THE COMPANY.					
WALL THICKNESS AS PER ASME SA213-07 AVG. WALL IN COMPLIANCE TO NACE MR0175-2002						SHANGHAI CRYSTAL PALACE PIPE CO., LTD					
SOLUTION HEAT TREATMENT: 1050°C X 1.5m/min						Dingjun Guo					
IC TEST TO ASTM A262 PRACTICE E						MANAGER OF QUALITY ASSURANCE DEPARTMENT					
NO WELD REPAIR WAS PERFORMED						APR 28 2010					
FREE FROM MERCURY CONTAMINATION											
COUNTRY OF ORIGIN: CHINA											
MILL TEST CERTIFICATE TO EN 10204/3.1											
INVOICE NO: YK-09-11-50											

KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
http://Certs.KaiserAluminum.com

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: 60-6826-1		CUSTOMER PART NUMBER: AT/375.058/734		PRODUCT DESCRIPTION: Seamless Tube/Pipe	
KAISER ORDER NUMBER: 203551	LINE ITEM: 001	SHIP DATE: 07/15/2009	KAISER LOT NUMBER: F00005643	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 668.000 LB	QUANTITY: 823.000 PCS	B/L NUMBER: 202637	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA			SOLD TO: MARMON/KEYSTONE CORP 10700 MARMON DR BOLINGBROOK, IL 60440 USA		

Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS(KSI)	YTS(KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00005643	0001	1	45.8	43.3	13.0	N/A	N/A	N/A
F00005643	0002	1	46.2	43.7	12.0	N/A	N/A	N/A

Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D66960	.61	.32	.22	.06	1.00	.10	.05	.03	.00	.00	.00	.01	.02

Applicable Requirements:

Description: MADE IN USA
OD: 0.375"; Wall: 0.058"; Round
AMS-4082P ASTM-B210-04 WW-T-700/6F
WE TAKE EXCEPTION TO PARA. 5.2.1. Per AMS 4082P, WAS NOT OILED.
THE FOLLOWING SPECIFICATION HAVE BEEN MADE INACTIVE OR
CANCELLED: MIL-T-7081, WW-T-700F/GEN, WW-T-700/2E, WW-T-700/3F,
WW-T-700/4F, WW-T-700/5E, WW-T-700/6F, WW-T-700/7B.
COMPLIES TO DIN EN 10204 JAN 2005
COMPLIES TO DFAR 252.225-7001 and DFAR 252.225-7014

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Wilfredo A. delaCruz, Sr. Metallurgical Engineer

Plant Serial: 00004729

Kaiser Order Number: 203551

Line Item: 001

Page 1 of 2

Wilfredo A. delaCruz

ATS

375.058 D6061 T6

OR.REF#
SLSPRS#

To:

INIT.:

08/25/2009 From: MARMON/KEYSTONE CORPORATION

M/R OR#6007820

C.P.O.#MN6463

C PART#

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
<http://Certs.KaiserAluminum.com>

KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
6573 W. WILLIS ROAD
CHANDLER, AZ 85226

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA

CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Wilfredo A. delaCruz, Sr. Metallurgical Engineer

Wilfredo A. delaCruz

Page 2 of 2

Plant Serial: 00004729

Q.C. REVIEWED

Kaiser Order Number: 203551

Line Item: 001

STSPRS:
OR.REF:

To:

INIT.:

08/25/2009 From: MARMON/KEYSTONE CORPORATION

M/K OR: 6007820
C.P.O.: MM6463

- C PART:



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO11875

Purchase Order Date 5/12/10

PO Print Date 5/12/10

Page Number 1 of 2

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

Contact Name

Vendor Phone

800 361 8142

Vendor Fax

450 641 4357

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

FAXED
5/12/10

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304R0.375 ✓	304 ROUND BAR 0.375	5/14/10 Yes	24.00 f	TST ground 24.0	\$0.9500	\$22.80
		Special Inst: MATERIAL: AISI 304/316 SS ROUND BAR NOTE: AISI 303 NOT ACCEPTABLE					
2	M304R1.500 ✓	304 round bar 1.500	5/14/10 Yes	12.00 f	TST ground 12.11.10	\$16.6000	\$199.20
		Special Inst: AS ABOVE					
3	M304TR0.500W.049 ✓	304 RD Tube .500 x .049W	5/14/10 Yes	60.00 f	TST ground	\$1.5500	\$93.00
		Special Inst: MATERIAL: AISI 304/316 SS SEAMLESS ROUND TUBING AS PER ASTM A213 OR ASME SA213 OR ASTM A269 11/10/14					

No substitution or deviation without
consent.
Certificate of Conformity or Material
Certification required when applicable

Change Nbr: 1

Change Date: 5/12/10



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO11875

Purchase Order Date 5/12/10

PO Print Date 5/12/10

Page Number 2 of 2

Order From :

VC-MAR001

MARMON/KEYSTONE CANADA LTD.
290 CHEMIN DU TREMBLAY
BOUCHERVILLE, QC J4B 5X9
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

800 361 8142

450 641 4357

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

4	M304TR0.750W.120 ✓	304 ss round tube .750 x .120w	5/19/10	80.00	TST ground	\$2.8500	\$228.00
			Yes		f		

Special Inst: AS ABOVE

5	M6061T6T0.375W.058 ✓	6061-T6 RD Tube .375 x.058W	5/14/10	✓ 108.00	TST ground	\$1.9500	\$210.60
			Yes		f		

Special Inst: MATERIAL: 6061-T6 OR 6061-T62
TUBING PER
WW-T-700/6 OR AMS 4080 OR AMS 4082
OR
QQ-A-200/8 OR QQ-A-225/8

PO Total:

\$753.60

MATERIAL CERTIFICATION
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 5/12/10

No substitution or deviation without consent.
Certificate of Conformity or Material Certification required when applicable